

THE PRESENTATION OF CONCEPT PERFECT EVOLUTION

# YOU REALLY NEED TO REPLACE A NEW MICROPHONE STAND

BE...DIFFERENT! HOW CONVENIENT!



Development and Manufacturing.

## Professional & Precision Microphone Stand Design, Revolutionised product. Taller than others when open up, Patented Microphone stand. Shorter than others after closing.


Stand well. Stand steady.

#### **FEATURES**

#### "HIGHER, BUT "SHORTER, THAT WE CALLED TECHNOLOGY.



<sup>r</sup> Higher <sub>1</sub>, but <sup>r</sup> shorter <sub>2</sub>, that we called technology. The world founds and win multinational patent <sup>r</sup> The base of microphone with conceal type and inclined bar <sub>2</sub> W-the series of fall to the ground type, its altitude could reach for 2320mm, more higher; And type, its altitude could reach for 2320mm, more higher, And become smaller the cubage after garnering, only for 940mm, carrying easier.



"Higher,, but "shorter,, that we called technology. The world founds and win multinational patent "The base of microphone with conceal type and inclined bar, W-the series of short and fall to the ground type, its altitude could reach for 1555mm, more higher; And become smaller the cubage after garnering, only for 650mm,

#### STRINGENT QUALITY AND TESTING ASSURE CAPABILITY FOR MOUNTING **HEAVY WEIGHT MICROPHONE.**



Develop carefully. Under the strict quality and test tightly, it has the biggest inclined bar work radius for 780mm, and could hang the heavy weight MIC ( RE 20 weight 800g ) and doesn't hang the keep for long time. It named the MIC hang. Insure various performance engineering scathing of request.



The tripod base that the aluminum metal alloy casts, adopting by the nicety processes, "the pick-up and down\_ of the mount is easy for emplacement with no fall to hang keep. The high quality of the construction, the tube body of feet adopts 22.2mm diameter size, which bear weight greatly, more harder and more easier to bear, And never transform. The three diameters matched with contain 710mm, more firmness and strengthens.

#### THE ALL-NEW DEVELOPED MOULDS AND COMPONENTS OF THE CORNER SEAT MAKE THE EXQUISITE ARTIFACT OF SUPERB QUALITY.



The accurate corner seat-The world founds and match the the accurate corner seat-i ne world rounds and match the esthetics design of the highly precise manufacturing process. It has the high great tightly, movable and stability. We use the UL which is qualified and special raw material and formulation from american importation, and developing the projection models. It processed and made by the precise appropriation machine manufacturing, then assembling completion. The quality is affirmative.



The three base essences with aluminum metal allov is adamantine by the high pressure foundry models and cohere with esthetics design of shape. Process through the nicety of the appropriation machine, and the surface have already sprayed sand to grind. And to heat again 210~250 °C sprays to draw to pack up the powder with. It bears to scrape and drop a paint not easily.

### **EXCELLENT MATERIAL AND PERFECT QUALITY**



Display the tripod, pull to the position and then disentwine the stud.



Move slackly the seat of tripod to the bottom, then lock measurably the stud.



At the same time, both disentwine the fixer of the aslant pole and the yellow easily operated stud. \*\*The left "red\_one is affixed, no removing.



Move out slackly the \*coverable a aslant pole to the top.



Bend down the front of the aslant pole the apposite needed, after emplaced, lock measurably both the fixer of the pole aslant and the right "yellow a stud of the easily operated.



Disentwine the altitude and adjust the



Adjust the altitude and then lock the fixer measurably.



#### Well done.

\*The user could remove fup j orfdown to the angle who needed easily without any movement.

MADE IN TAIWAN

Clips shown on the catalogue should be purchased

independent of the microphone stands.